



## ATTACHMENT to FI.AOC.004

(subject to the approved conditions in the operations manual)

Issuing Authority: Finnish Transport Safety Agency (CAA Finland)

Telephone: +358 29 534 5000 Fax: +358 29 534 5095 E-mail: kirjaamo@trafi.fi

Certificate No: **FI.AOC.004**

Organisation name: Jetflite Oy

Date of issue: 30.09.2014

Name and signature:

  
Kirsi Lähteenmäki-Riistama  
Head of Unit



Management	Name	Contact
<b>Required personnel</b>		
Accountable Manager	Elina Karjalainen	
Compliance Monitoring Manager	Henri Leo Rautiainen	
Safety Manager	Henri Leo Rautiainen	
Flight Operations Manager	Anssi Olavi Pyykkönen	
Crew Training Manager	Jukka Tapio Saario	
Ground Operations Manager	Tom Krister Edvardsson	
Continuing Airworthiness Manager	Jukka Saarinen	

Operational point of contact without undue delay:


Duty Manager/Sales: +358 (0)20 5101900

## OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority: Finnish Transport Safety Agency (CAA Finland)

Telephone: +358 29 534 5000 Fax: +358 29 534 5095 Email: kirjaamo@trafi.fi



<b>AOC:</b> FI.AOC.004	<b>Operator Name:</b> Jetflite Oy	<b>Date of issue:</b> 30.09.2014	<b>Signature:</b>
	<b>Db:</b>	<b>Active from:</b> 30.09.2014	Kristian Nyberg Senior Inspector

Operations specifications: FI.AOC.004 CE-680

Aircraft model: CESSNA 680

Registration marks: OH-WIA

Commercial operations:  Cargo, Emergency Medical Service, Passengers

Areas of operation: Worldwide (Including Arctic up to latitude 80°N; excluding Antarctica and Pacific.)

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 550 m, DH: 200 ft	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: [...] m, DH: [...] ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: [...] m, DH: ... ft	
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Maximum diversion time: [...]min.	
Navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV 1 (P-RNAV) RNAV 5 (B-RNAV) RNP APCH LNAV	
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		

Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	FI.MG.0006 EC2042/2003, Part M Subpart G	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EFB : Portable Type B	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Steep APCH	London City (EGLC)



## OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority: Finnish Transport Safety Agency (CAA Finland)

Telephone: +358 29 534 5000 Fax: +358 29 534 5095 Email: kirjaamo@trafi.fi



<b>AOC:</b> FI.AOC.004	Operator Name: <b>Jetflite Oy</b>	Date of issue: <b>30.09.2014</b>	Signature: 
	Dbn:	Active from: <b>30.09.2014</b>	Kristian Nyberg Senior Inspector

Operations specifications: FI.AOC.004 CL-300

Aircraft model: BOMBARDIER BD100 1A10

Registration marks: OH-FLM

Commercial operations:  Cargo, Passengers

Areas of operation: Worldwide (Including Arctic Spitsbergen only; excluding Antarctic and Pacific)

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 550 m, DH: 200 ft	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: [...] m, DH: [...] ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: [...] m, DH: ... ft	
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Maximum diversion time: [...]min.	
Navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV 1 (P-RNAV) RNAV 5 (B-RNAV) RNP APCH LNAV	
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		

Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	FI.MG.0006 EC2042/2003, Part M Subpart G	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EFB : Portable Type B	



## OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority: Finnish Transport Safety Agency (CAA Finland)

Telephone: +358 29 534 5000 Fax: +358 29 534 5095 Email: kirjaamo@trafi.fi

AOC:  
**FI.AOC.004**

Operator Name:  
**Jetflite Oy**

Dbn:

Date of issue:  
**30.09.2014**

Active from:  
**30.09.2014**

Signature:

*Kristian Nyberg*  
Kristian Nyberg  
Senior Inspector



Operations specifications: FI.AOC.004 CL-604

Aircraft model: CANADAIR CL600 2B16 604

Registration marks: OH-MOL, OH-WIC, OH-WII

Commercial operations:  Cargo, Emergency Medical Service, Passengers

Areas of operation: Worldwide (Including Arctic up to latitude 80°N; excluding Antarctic and Pacific)

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 550 m, DH: 200 ft	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: [...] m, DH: [...] ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: [...] m, DH: ... ft	
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Maximum diversion time: [...]min.	
Navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV 1 (P-RNAV) RNAV 5 (B-RNAV) RNP APCH LNAV	
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		

Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	FI.MG.0006 EC2042/2003, Part M Subpart G	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EFB : Portable Type B	



## OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority: Finnish Transport Safety Agency (CAA Finland)

Telephone: +358 29 534 5000 Fax: +358 29 534 5095 Email: kirjaamo@trafi.fi

AOC:  
**FI.AOC.004**

Operator Name:  
**Jetflite Oy**

Date of issue:  
**30.09.2014**

Signature:

Dbn:

Active from:  
**30.09.2014**

*Kristian Nyberg*  
Kristian Nyberg  
Senior Inspector



Operations specifications: FI.AOC.004 CL-605

Aircraft model: CANADAIR CL600 2B16 604

Registration marks: OH-GVI

Commercial operations:  Cargo, Passengers

Areas of operation: Worldwide (Including Arctic up to latitude 80°N; excluding Antarctic and Pacific.)

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 550 m, DH: 200 ft	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: [...] m, DH: [...] ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: [...] m, DH: ... ft	
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Maximum diversion time: [...]min.	
Navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV 1 (P-RNAV) RNAV 5 (B-RNAV) RNP APCH LNAV	
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		

Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	FI.MG.0006 EC2042/2003, Part M Subpart G	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EFB : Portable Type B	





## OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority: Finnish Transport Safety Agency (CAA Finland)

Telephone: +358 29 534 5000 Fax: +358 29 534 5095 Email: kirjaamo@trafi.fi

<b>AOC:</b> <b>FI.AOC.004</b>	<b>Operator Name:</b> <b>Jetflite Oy</b>  <b>Db:</b> <b>Euro-Flite Air Ambulance, Euro-Flite Air Cargo</b>	<b>Date of issue:</b> <b>30.10.2014</b>  <b>Active from:</b> <b>30.10.2014</b>	<b>Signature</b>  <b>Kirsi Lähteenmäki-Riistama</b> <b>Head of Unit</b> 
----------------------------------	--	--	---

Operations specifications: FI.AOC.004 Falcon 7X

Aircraft model: DASSAULT FALCON7X

Registration marks: OH-WIX

Commercial operations:  Cargo, Passengers

Areas of operation: Worldwide (Between 85°N and 85°S; excluding Pacific)

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 550 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: [...] m, DH: [...] ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: [...] m, DH: [...] ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: [...] m, DH: ... ft	
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min.	
Navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV 1 (P-RNAV) RNAV 5 (B-RNAV) RNP APCH LNAV	
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		

Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	FI.MG.0006 EC2042/2003, Part M Subpart G	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ADS-B : out	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EFB : Portable Type B Installed Type B	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Isolated Aerodrome : Troll airfield S71*57,4 E002*27,7	AT27
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Steep APCH : 5,50°	London City, EGLC

