

**CERTIFICAT DE TRANSPORTEUR AERIEN
BEWIJS LUCHTVAARTEXPLOITANT
AIR OPERATOR CERTIFICATE**



**ROYAUME DE BELGIQUE
KONINKRIJK BELGIE
KINGDOM OF BELGIUM**

**Service public fédéral Mobilité et Transports
Federale Overheidsdienst Mobiliteit en Vervoer
Federal Public Service Mobility and Transport
Transport aérien – Luchtvaart
Belgian Civil Aviation Authority**

Point de Contact de l'Autorité de Délivrance:
Punt van Contact van de Uitgevende
Overheid:

Issuing Authority Contact Details:

☎: +32 2 277 43 11
☎: +32 2 277 42 59
e-mail: civilair@mobiliteit.fgov.be

AOC Numéro:
AOC Nummer:
AOC Number:

B-3010

Date expiration :
Vervaldatum :
Expiry date:

27/10/2014

Première délivrance:
Eerste uitgifte:
First issued on:

20/12/1994

FLYING SERVICE NV

**Luchthavenlei 1 Bus 18
2100 DEURNE (BELGIUM)**

☎: +32 3 286 86 06
☎: +32 3 230 98 59

CERTIFIED COPY

02 OKT. 2014

J. Leroy
Jean-Paul LEROY, ing

**Attaché
Operations Department**



Point de Contact Opérationnel :
Détails des contacts des gestionnaires
opérationnels qui peuvent être joignables
sans retards indus, sont listés dans:
Le manuel d'exploitation Partie A

Punt van Operationeel Contact :
Details van contacten, waarbij het
operationele management zonder
buitensporige vertraging kan worden
gecontacteerd, zijn vermeld in
Het operationeel handboek Deel A

Operational Point of Contact :
Contact details, at which operational
management can be contacted without
undue delay, are listed in :
The Operations Manual Part A

La Direction générale du Transport aérien atteste que le transporteur aérien concerné possède les capacités professionnelles et l'organisation pour assurer l'exploitation commerciale d'aéronefs conformément à la réglementation en vigueur et dans les conditions des spécifications opérationnelles indiquées en annexe, en vue des activités de transport aérien qui y sont mentionnées. Ce certificat de transporteur aérien est conforme aux prescriptions de l'annexe III au Règlement CEE n° 3922/91 tel qu'amendé. Le certificat de transporteur aérien et la licence d'exploitation, prévus dans le Règlement CE n° 1008/2008 sont interdépendants.

Ce certificat n'est pas transférable et peut être restreint, modifié ou révoqué lorsque les conditions de délivrance ne sont plus satisfaites.

Ce certificat n'est valide que si son détenteur est également détenteur d'un certificat d'agrément d'organisme de gestion du maintien de la navigabilité tel que visé au règlement (CE) n° 2042/2003, Partie M, section A, sous-partie G, valide pour les aéronefs dont la liste figure en annexe au présent certificat.

Het Directoraat-generaal Luchtvaart bevestigt dat de betrokken luchtvaartexploitant beschikt over de beroepsbekwaamheid en organisatie om commerciële luchtvaartuigen te exploiteren in overeenstemming met de van kracht zijnde regelgeving en behoudens de aangegeven voorwaarden in de operationele specificaties vermeld in bijlage, voor de in dit bewijs gespecificeerde luchtvaartactiviteiten. Dit bewijs van luchtvaartexploitant is in overeenstemming met de voorschriften van de bijlage III aan Verordening EEG nr. 3922/91 zoals gewijzigd. Het Bewijs van Luchtvaartexploitant en de exploitatievergunning voorzien in de Verordening EG nr. 1008/2008 zijn onderling afhankelijk.

Dit certificaat is niet overdraagbaar en kan beperkt, gewijzigd of ingetrokken worden indien aan de afgiftevoorwaarden niet meer voldaan is.

Dit certificaat is uitsluitend geldig indien de houder ervan eveneens houder is van een bewijs van erkenning van managementorganisatie voor permanente luchtwaardigheid overeenkomstig verordening (EG) 2042/2003, Deel M, sectie A, subdeel G, geldig voor de in bijgaande bijlage vermelde luchtvaartuigen

The Civil Aviation Authority confirms that the air operator in question has the professional ability and organisation to secure the commercial operation of aircraft pursuant to the regulations for the time being in force and subject to the conditions of the Operations Specifications specified in attachment, for the aviation activities specified in the certificate. This air operator certificate is granted in accordance with the requirements of annex III to Regulation EEC nr 3922/91 as amended. The air operator certificate and the operating license foreseen in the EC Regulation nr 1008/2008 are interdependent.

This certificate is not transferable and may be restricted, varied or revoked when the conditions of issuance are no more satisfied.

This certificate is only valid if its holder also holds an approval certificate of a continuing airworthiness management organisation as referred to in regulation (EC) 2042/2003, Part M, section A, subpart G, valid for the aircraft listed in the annex to this certificate.

Continuing airworthiness management organisation approval certificate reference: BE.MG.06

Date de modification :
Datum van wijziging:
Date of variation:

01/10/2014

**Pour le Directeur général, absent, Par suppléance/
Voor de Directeur generaal afwezig. Bij plaatsvervangings
For the Director general, absent, By replacement**

Nathalie Dejace
**Nathalie Dejace
Conseiller/Adviseur/Counsellor**





OPERATIONS SPECIFICATIONS
 (Annex to the certificate B-3010 document no 71)

Holder	FLYING SERVICE NV LUCHTHAVENLEI 1 BUS 18 2100 DEURNE BELGIUM			
Aircraft Model	CESSNA CITATION 525 B (C525B)			
Aircraft Registration	OO-FPC, OO-FPE			
Type of Operations (A1) (A2) (A3)	Commercial Air Transportation: Passengers Cargo Emergency medical service			
Area of Operations	ICAO FIR as specified in ICAO doc 7030 : EUR FIR/ Shanwick Oceanic, Reykjavik in NAT FIR/Canarias, Sal Oceanic, Seychelles in AFI FIR/ Montreal, New York, Gander Domestic, Moncton Southern in NAM FIR/ Omsk, Muscat in MID ASIA FIR			
Special Limitations	None			
Special Authorisations:	Yes	No	Specific Approval	Remarks
Dangerous Goods (E11)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations Approach and landing Take-off (E1) (E2) (E3) (E5)	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	CAT I RVR 550 m DH 200 ft CAT II RVR 300 m DH 100 ft CAT IIIA RVR 200 m DH 50 ft CAT IIIB RVR 75 m no RVR 150 m	
RVSM (E9)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EUR-RVSM	
ETOPS (E7)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Navigation Specifications for PBN Operations (E8) (E8) (E8) (E10) (E10) (E10) (E10)	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	RNAV-10 (RNP-10) RNAV-5 (B-RNAV) RNAV-1 (P-RNAV) RNP-4 (RNP 4) RNP APCH (LNAV) RNP APCH (LNAV/VNAV) RNP APCH (LPV)	
Continuing Airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	BE.MG.06	
MNPS (E6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Blue Spruce Routes only
Others (E14)	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	Operations in Areas of Metric Altimetry Steep approach	



OPERATIONS SPECIFICATIONS
(Annex to the certificate B-3010 document no 71)

Holder	FLYING SERVICE NV LUCHTHAVENLEI 1 BUS 18 2100 DEURNE BELGIUM			
Aircraft Model	CESSNA 550 Bravo (C550)			
Aircraft Registration	OO-FPB			
Type of Operations	Commercial Air Transportation:			
(A1)	Passengers			
(A2)	Cargo			
(A3)	Emergency medical service			
Area of Operations	ICAO FIR as specified in ICAO doc 7030 : EUR FIR/ Shanwick Oceanic, Reykjavik in NAT FIR/Canarias, Sal Oceanic, Seychelles in AFI FIR/ Montreal, New York, Gander Domestic, Moncton Southern in NAM FIR/ Omsk, Muscat in MID ASIA FIR			
Special Limitations	None			
Special Authorisations:	Yes	No	Specific Approval	Remarks
Dangerous Goods (E11)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR 550 m DH 200 ft	
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR 300 m DH 100 ft	
Take-off	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR 200 m DH 50 ft	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT IIIB RVR 75 m no	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR 150 m	
RVSM (E9)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EUR-RVSM	
ETOPS (E7)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNAV-10 (RNP-10)	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV-5 (B-RNAV)	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV-1 (P-RNAV)	
Navigation Specifications for PBN Operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP-4 (RNP 4)	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP APCH (LNAV)	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP APCH (LNAV/VNAV)	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP APCH (LPV)	
Continuing Airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	BE.MG.06	
MNPS (E6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Blue Spruce Routes only
Others (E14)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Operations in Areas of Metric Altimetry	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Steep approach	



OPERATIONS SPECIFICATIONS
 (Annex to the certificate B-3010 document no 71)

Holder	FLYING SERVICE NV LUCHTHAVENLEI 1 BUS 18 2100 DEURNE BELGIUM					
Aircraft Model	Embraer ERJ 190 ECJ (LINEAGE 1000)					
Aircraft Registration	OO-NGI					
Type of Operations (A1) (A2) (A3)	Commercial Air Transportation: Passengers Cargo Emergency medical service					
Area of Operations	Worldwide					
Special Limitations	None					
Special Authorisations:	Yes	No	Specific Approval		Remarks	
Dangerous Goods (E11)	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
Low Visibility Operations Approach and landing Take-off (E1) (E2) (E3) (E5)	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	CAT I CAT II CAT IIIA CAT IIIB RVR 150 m	RVR 550 m RVR 300 m RVR 200 m RVR 75 m no	DH 200 ft DH 100 ft DH 50 ft no	
RVSM (E9)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EUR-RVSM			
ETOPS (E7)	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
Navigation Specifications for PBN Operations (E8) (E8) (E8) (E10) (E10) (E10) (E10)	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	RNAV-10 RNAV-5 RNAV-1 RNP-4 RNP APCH (LNAV) RNP APCH (LNAV/VNAV) RNP APCH (LPV)	(RNP-10) (B-RNAV) (P-RNAV) (RNP 4)		
Continuing Airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	BE.MG.06			
MNPS (E6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
Others (E14)	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>	Operations in Areas of Metric Altimetry Steep approach			



OPERATIONS SPECIFICATIONS
 (Annex to the certificate B-3010 document no 71)

Holder	FLYING SERVICE NV LUCHTHAVENLEI 1 BUS 18 2100 DEURNE BELGIUM			
Aircraft Model	CESSNA 680 Sovereign (C680)			
Aircraft Registration	OO-ALX			
Type of Operations	Commercial Air Transportation:			
(A1)	Passengers			
(A2)	Cargo			
(A3)	Emergency medical service			
Area of Operations	Worldwide			
Special Limitations	None			
Special Authorisations:	Yes	No	Specific Approval	Remarks
Dangerous Goods (E11)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR 550 m DH 200 ft	
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR 300 m DH 100 ft	
Take-off	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR 200 m DH 50 ft	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT IIIB RVR 75 m no	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR 150 m	
RVSM (E9)	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS (E7)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Navigation Specifications for PBN Operations	(E8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV-10 (RNP-10)
	(E8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV-5 (B-RNAV)
	(E8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV-1 (P-RNAV)
	(E10)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP-4 (RNP 4)
	(E10)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP APCH (LNAV)
	(E10)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP APCH (LNAV/VNAV)
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP APCH (LPV)	
Continuing Airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	BE.MG.06	
MNPS (E6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Others (E14)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Operations in Areas of Metric Altimetry	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Steep approach	



OPERATIONS SPECIFICATIONS
 (Annex to the certificate B-3010 document no 71)

Holder	FLYING SERVICE NV LUCHTHAVENLEI 1 BUS 18 2100 DEURNE BELGIUM			
Aircraft Model	FALCON F900C & F900DX/EX Easy			
Aircraft Registration	OO-ACT, OO-VMI, OO-FOI			
Type of Operations (A1) (A2) (A3)	Commercial Air Transportation: Passengers Cargo Emergency medical service			
Area of Operations	Worldwide			
Special Limitations	None			
Special Authorisations:	Yes	No	Specific Approval	Remarks
Dangerous Goods (E11)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations Approach and landing Take-off	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	CAT I RVR 550 m DH 200 ft CAT II RVR 300 m DH 100 ft CAT IIIA RVR 200 m DH 50 ft CAT IIIB RVR 75 m no RVR 150 m	
RVSM (E9)	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS (E7)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Navigation Specifications for PBN Operations	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	RNAV-10 (RNP-10) RNAV-5 (B-RNAV) RNAV-1 (P-RNAV) RNP-4 (RNP 4) RNP APCH (LNAV) RNP APCH (LNAV/VNAV) RNP APCH (LPV)	Easy only Easy only Easy II only
Continuing Airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	BE.MG.06	
MNPS (E6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Others (E14)	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	Operations in Areas of Metric Altimetry Steep approach	

OPERATIONS SPECIFICATIONS
(subject to the approved conditions in the operations manual)



Issuing Authority Contact Details

Telephone: +32 2 277 43 11

Fax: +32 2 277 42 57

E-mail: info@mobiliteit.fgov.be

AOC#: **B-3010** Operator Name: **FLYING SERVICE NV**

Operations Specifications#: **F7X Issue 2**

Date: **28-07-2015**

Signature: **Jean-Paul LEROY, for Robbie DECOSTER, absent** Title: **Attaché, for the Head of O-OPS, Responsible a.i.**

Aircraft Model:	DASSAULT FALCON 7X (F7X)			
Registration Marks:	OO-ABC, OO-IDY, OO-NAD, OO-TOI, PH-AJX, PH-TLP			
Commercial operations:	Passengers / Cargo / Emergency Medical Service			
Area of operation:	Worldwide			
Special Limitations:	/			
Specific Approvals:	Yes	No	Specification	Remarks
Dangerous Goods	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	LTS CAT I RVR: m DH: ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: m DH: ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	OTS CAT II RVR: m DH: ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: m DH: ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: m DH: ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIC RVR: m DH: ft	
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum Diversion Time: min. Nm ; Engine :	

OPERATIONS SPECIFICATIONS
(subject to the approved conditions in the operations manual)



Federal Public Service
Mobility and Transport
Belgian Civil Aviation Authority

Navigation specifications for PBN Operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV10 (RNP10)	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP4	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV1 (P-RNAV)	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP APCH (LNAV)	Easy only
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP APCH (LNAV/VNAV)	Easy only
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP APCH (LPV)	Easy II only
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP AR APCH	
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	BE.MG.06	
Others				
Steep approach	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Aircraft used for non-commercial operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		



OPERATIONS SPECIFICATIONS
 (Annex to the certificate B-3010 document no 71)

Holder	FLYING SERVICE NV LUCHTHAVENLEI 1 BUS 18 2100 DEURNE BELGIUM				
Aircraft Model	FALCON F2000 LX Easy				
Aircraft Registration	PH-CTH				
Type of Operations	Commercial Air Transportation:				
(A1)	Passengers				
(A2)	Cargo				
(A3)	Emergency medical service				
Area of Operations	Worldwide				
Special Limitations	None				
Special Authorisations:	Yes	No	Specific Approval		Remarks
Dangerous Goods (E11)	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Low Visibility Operations Approach and landing Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I	RVR 550 m	DH 200 ft
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II	RVR 300 m	DH 100 ft
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA	RVR 200 m	DH 50 ft
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB	RVR 75 m	no
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR 150 m		
RVSM (E9)	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
ETOPS (E7)	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Navigation Specifications for PBN Operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV-10	(RNP-10)	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV-5	(B-RNAV)	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNAV-1	(P-RNAV)	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP-4	(RNP 4)	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP APCH (LNAV)		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP APCH (LNAV/VNAV)		
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	RNP APCH (LPV)		
Continuing Airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	BE.MG.06		
MNPS (E6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
Others (E14)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Operations in Areas of Metric Altimetry		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Steep approach		



OPERATIONS SPECIFICATIONS
(Annex to the certificate B-3010 document no 71)

Holder :

FLYING SERVICE NV

Luchthavenlei 1 Bus 18
2100 DEURNE
BELGIUM

Key personnel :

Accountable Manager :	Bernard VAN MILDERS
Quality Manager (O) :	Pieter DEVRIESE
Quality Manager (M) :	Wesley VAEREWIJCK
Flight Safety Programme Manager :	Johannes HELLINGS
Flight Operations Manager :	Frans DECHAENE
Training Manager :	Walter DIERICK
Continuing Airworthiness Manager :	Kris BUYL
Ground Operations Manager:	Ann BOCKLANDT

Remarks: All operations shall be conducted in accordance with specifications in the Operations Manual. Any variation to the specifications defined here above must be approved by the Belgian CAA.

As attachment to the Air Operator's Certificate dated **01/10/2014**.

For the Belgian Civil Aviation Authority,

Robbie DECOSTER


Responsible a.i.
Operations Directorate